

TRENDS COLLECTION




Fresh. Modern. Sophisticated.

Introducing Meganite's Trends Collection

You asked. We listened. You wanted colors and patterns that provide a timeless specification, more solids and tone-on-tones to offer a wider variety of MEGANITE® options. We worked with World-Class Colorists to create the Trends Collection. Our new colors are grounded in nature yet deliver a sophisticated, urban appeal. The palette of grays expands our collection of neutrals and the refined textures add new and exciting options.

You requested. We delivered. You wanted us to introduce new products while maintaining our affordability. MEGANITE® is committed to providing a premium, high performance acrylic solid that is functional, reliable and priced for maximum value.

Enjoy the fresh, modern and sophisticated Trends Collection.



MEGANITE® offers a comprehensive color system. We provide a family of neutrals that serve as reliable standards for a variety of environments as well as an array of innovative accents that can create impact in any interior. This selection combines our best selling designs with forward-thinking options. We understand color and work with color experts to evolve our palettes to meet industry and market demands. Over the past 40+ years, we have developed over 900 solid surface patterns and 12,000 colorants for consumer products.

SOLID



Alaska White

081A



Bright White ● 001A



Soft White ● 005A



Bone ● 003A



Grey 056A




Parapet Gray 090A

MIST



Canvas Mist ● 🍮 312AR



Sandy Shore 246A



Silver Mist 🗳 219AR



Galaxy Mist 311A



Wheat Mist ● 🍮 266AR



Morocco Mist 373AR



Madeira Mist 319A

STONE



Canela Stone 👶 504AR



San Rafael Stone



Smokey Mountain 520A



Rain Cloud 519SA



Starry Starry Night 508SA

ICE



Translucent Green Ice T 912B



Translucent Blue Ice T 913B

- = Available in ½" and ¼" x 36" x 96" Thickness
- = Recycled Series. May contribute to LEED Points
- T = Polyester-Acrylic Blended.
 They are not 100% acrylic and do not meet the same performance standards as Meganite Acrylic Solid Surface products.

GRANITE


Indigo Granite 736A

Lava Granite

657A

Sedona Granite

706A



BOULDER




South Beach Boulder



Winter Boulder 800A




Olive Branch 833A



Raven Boulder 🐴 810AR



Tiger Eye Gemstone 🐴 821SAR




Goldrush Gemstone 🚓 819SAR

Ultimate Boulder 🗳 805AR



Shangrila Boulder 802A




Euphoria Boulder 809A




BRECCIA



Rice Pudding 905A



Mottled Gray 932SA




Bird Bath 931SA




Silver Shards 930SA



Just Beachy 904A



Speckled Hen 957A



Solar Eclipse 933SA

SHFII




Summer Beach 426A



Makena Beach 424A



Kauai Beach 428A



Lanikai Beach 429A

- NOTES: 1. Photos of MEGANITE® color samples can look different from actual color samples.
 - 2. Visual inspection and approval of actual color samples must be done prior to placing an order and fabrication.
 - 3. Darker colors tend to require more attention than lighter colors.
 - 4. Your designer or fabricator can offer suggestions regarding color selection.
 - 5. Dark colors are not suitable for all applications as normal usage will show signs of wear and will require more maintenance.
 - 6. 090A, 508SA, 519SA, 703SA, and 704SA are colors that appear lighter or darker depending on viewing angle. Consider specifying stacked edge and v-groove cove/edge.

STANDARD SHEET SIZE

½" x 30" x 144" (12 x 760 x 3660 mm) ¼" x 36" x 96" (6 x 915 x 2440 mm)

PROPERTY	TYPICAL RESULT	TEST
Thickness	½ inch (12 mm)	
Specific Gravity	1.7	ASTM D-792
Water Absorption (24 hours)	0.04%	ASTM D-570
Mechanical		
Tensile Strength	6,000 psi	ASTM D-638
Flexural Strength	9,000 psi	ASTM D-790
Hardness	60 / 90	Barcol / Rockwell
Thermal Expansion	1.3" 10-6 in/in/°F	ASTM D-696
Impact Resistance	>125"	NEMA LD3-3 (½ lb ball)
Surface		
Stain Resistance	Pass	ASNI 124.3 & 124.6
Boiling Water Resistance	No Change	NEMA LD3-3-5
High Temperature Resistance	No Change	NEMA LD3-3-6
Color Stability	No Change	NEMA LD3-3-10
Fungi Resistance	No Growth after 28 days	ASTM G21
Bacteria & Germ Resistance	No Change	ASTM G-22
Fire & Heat		
Flammability	Class 1/A	ASTM E84
Flame Spread	Class 1/A (< 25)	
Smoke Development Density	Class 1/A (< 25)	
Certifications		
Food and Splash Zone	NSF Approved	NSF Standard 51
For Children & School Surfaces	GREENGUARD Approved	GREENGUARD GOLD
Indoor Air Quality	GREENGUARD Approved	GREENGUARD Certification Program
Recycled Content Material (AR Series)	Pre-Consumer 6%	SCS Global









